Filename: PMP5112_REVD_bom.xls Date: 09/30/2010

PMP5112_REVD BOM

COUNT	RefDes	Value	Description	Size	Part Number	Mfr
1	C1	0.47uF	CAP, PROPYLENE FILM, 630V	0.885 x 0.370 inch	ECQ-E6474KF	Panasonic
1	C11	100pF	Capacitor, Ceramic, 50V, X7R, 10%	0603	C1608X7R1H101K	TDK
1	C12	18pF	Capacitor, Ceramic, 50V, C0G, 5%	0603	C1608C0G1H180J	TDK
1	C13	2.2uF	Capacitor, Ceramic, 6.3V, X7R, 15%	0603	Std	Std
1	C15	0.47uF	Capacitor, Ceramic, 25V, X7R, 15%	0603	Std	Std
2	C2, C4	0.33uF	Capacitor, X2, 305V, 20%	0.354 x 0709 inch	B32922C3334M	Epcos
1	C3	0.1uF	Capacitor, X2, 305V, 20%	0.157 x 0.512 inch	B32921C3104M	Epcos
1	C5	1000uF	Capacitor, Aluminum, 180V, 10%	1.18 dia * 1.575 inch	LLS2Z102MELB	Nichicon
4	C6, C9, C10, C14	1000pF	Capacitor, Ceramic, 50V, X7R, 10%	0603	C1608X7R1H102K	TDK
2	C7, C100	0.1uF	Capacitor, Ceramic, 50V, X7R, 10%	0603	C1608X7R1H104K	TDK
1	C8	100uF	Capacitor, Aluminum Electrolytic, 25V	0.315 inch	25V ZL 100uF 8 X 7	Rubycon
1	D1	RS3K-13	Diode, 3A, 800V	SMC	RS3K-13	Diodes Inc.
1	D100	12V	{Description}	{Size}	STD	STD
1	D2	KBP06G	Diode, Bridge Rectifier, 1.5A, 600V	0.580 x 0.145 inch	KBP06G	Diodes
1	D3	BAS21	Diode, Switching, 200-mA, 200-V, 330-mW	SOT23	BAS21	Zetex
1	D4	180V	Diode, Zener, 180-V	SMB	1SMB5955BT3	On Semi
1	D5	MMSD914	Diode, Switching, 100-V, 200-mA, 225-mW	SOD-123	MMSD914T1	On Semi
1	F1	1.6A/250V	Fuse, TR5 Series, 1.6A, 250V	0.335	3701160041	Wickmann
1	HS7	HS107	Heatsink, TO-220 Vertical-mount,	0.700 x 0.850 inch	HS107	Thermalloy
1	J2	22-15-2041	Connector, Low Profile	0.400 x 0.310 inch	22-15-2041	Molex
1	L1	390uH	Inductor, Radial Leaded	19.20 Dia. mm	CL-1420-390LF	GCI
1	L2	6.8mH	Inductor, Common Mode choke,	1.250 x 0.628 inch	GVTM0-682LF	Coiltronics
1	Q1	MMBT2907	Bipolar, PNP, 60V, 600mA	SOT23	MMBT2907LT1	On Semiconductor
1	Q100	FZT651	Trans, NPN Midium Power, 100V 1A	SOT223	FZT653	Zetex
1	Q2	MMBT3904	Bipolar, NPN, 40-V, 200-mA, 225-W	SOT23	MMBT3904LT1	On Semiconductor
1	Q3	SPP06N80C3	MOSFET, N-ch, 800-V, 6-A, 900-milliOhms	TO-220V	SPP06N80C3	Infineon
3	R1, R3, R5	64.9k	Resistor,1/4 watt, 5%	1206	Std	Std
5	R10, R12, R13, R17, R22	100k	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	R100	49.9k	Resistor,1/4 watt, 5%	1206	Std	Std
1	R11	221k	Resistor, Chip, 1/16W, 1%	0603	Std	Std
2	R16, R20	1k	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	R18	11.3k	Resistor, Chip, 1/16W, 1%	0603	Std	Std

Filename: PMP5112_REVD_bom.xls Date: 09/30/2010

PMP5112_REVD BOM

COUNT	RefDes	Value	Description	Size	Part Number	Mfr
1	R19	4.99k	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	R2	30.1k	Resistor, Power, 1W, 1%	2512	STD	STD
1	R21	0.3	Resistor, Power, 1W, 5%	2512	STD	STD
1	R23	511	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	R4	2	Resistor, Power, 1W, 1%	2512	STD	STD
2	R7, R15	1MEG	Resistor,1/4 watt, 5%	1206	Std	Std
2	R8, R14	49.9k	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	R9	4.7	Resistor, Chip, 1/16W, 1%	0603	Std	Std
1	T1	370 uH	XFMR, SEPIC	1.220 X 1.122 inch	PA3092NL	Pulse
5	TP1, TP2, TP3, TP5, TP6	5000	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone
1	TP4	5001	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone
1	U1	TLV431AIDBZ	IC, Low-Voltage Adjustable Shunt Regulator	SOT23-3	TLV431AIDBZ	TI
1	U2	UCC28810D	IC, TM LED Lighting Power Controller	SO8	UCC28810D	Texas Instruments

IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

Products		Applications		
Audio	www.ti.com/audio	Communications and Telecom	www.ti.com/communications	
Amplifiers	amplifier.ti.com	Computers and Peripherals	www.ti.com/computers	
Data Converters	dataconverter.ti.com	Consumer Electronics	www.ti.com/consumer-apps	
DLP® Products	www.dlp.com	Energy and Lighting	www.ti.com/energy	
DSP	dsp.ti.com	Industrial	www.ti.com/industrial	
Clocks and Timers	www.ti.com/clocks	Medical	www.ti.com/medical	
Interface	interface.ti.com	Security	www.ti.com/security	
Logic	logic.ti.com	Space, Avionics and Defense	www.ti.com/space-avionics-defense	
Power Mgmt	power.ti.com	Transportation and Automotive	www.ti.com/automotive	
Microcontrollers	microcontroller.ti.com	Video and Imaging	www.ti.com/video	
RFID	www.ti-rfid.com	Wireless	www.ti.com/wireless-apps	
RF/IF and ZigBee® Solutions	www.ti.com/lprf			

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2011, Texas Instruments Incorporated

e2e.ti.com

TI E2E Community Home Page