

## PMP7410\_REVA BOM

COUNT	RefDes	Value	Description	Size	Part Number	MFR
1	C1	0.047uF	Capacitor, Ceramic, 630V, X7R, 15%	1210	STD	STD
1	C102	0.01uF	Capacitor, Ceramic, 50V, X7R, 10%	0603	STD	STD
1	C11	100uF	Capacitor, Aluminum, 16V, 20%	0.260 x 0.276 inch	EEVFK1C101P	Panasonic
6	C13, C17, C20, C22, C24, C101	0.1uF	Capacitor, Ceramic, 50V, X7R, 10%	0603	STD	STD
1	C15	220pF	Capacitor, Ceramic, 50V, C0G, 10%	0603	STD	STD
1	C16	0.47uF	Capacitor, Ceramic, 16V, X7R, 10%	0603	STD	STD
1	C18	1000uF	CAP ALUM 1000UF 16V 20% RADIAL	12.00 mm Dia	EKY-160ELL102MK15S	United Chemi-Con
2	C19, C200	0.1uF	CAP .1UF 250/275VAC ECQ-UL	0.689 x 0.236 inch	ECQ-U2A104ML	Panasonic
2	C2, C3	10pF	Capacitor, Ceramic, 100V, C0G, 10%	0603	STD	STD
1	C23	0.022uF	Capacitor, Ceramic, 50V, X7R, 10%	0603	STD	STD
1	C29	2200pF	CAP CER 2200PF 250VAC X1Y2 RAD	7.00 Dia mm	STD	TDK
1	C4	100uF	CAP ALUM 100UF 450V 20% SNAP	0.886 Dia.	EET-UQ2W101BA	Panasonic
1	C5	0.01uF	Capacitor, Ceramic, 50V, X7R, 15%	0603	STD	STD
1	C6	330pF	Capacitor, Ceramic, 50V, X7R, 10%	0603	STD	STD
4	C7, C14, C25, C103	1uF	Capacitor, Ceramic, 16V, X7R, 10%	0603	STD	STD
3	C8, C10, C12	22uF	Capacitor, Ceramic, 16V, X5R, 15%	1210	STD	STD
3	C9, C21, C100	1000pF	Capacitor, Ceramic, 50V, X7R, 15%	0603	STD	STD
2	D1, D2	10V	Diode, Zener, 10-V, -225-mW	SOT23	MMBZ5240BLT1	ON Semi
1	D10	91V	Diode, Zener, 91-V, -225-mW	SOT23	MMBZ5270BLT1	ON Semi
1	D11	BAV99	Diode, Dual Ultra Fast, Series, 200-mA, 70-V	SOT23	BAV99	Fairchild
1	D15	3.6V	Diode, Zener, 3.6-V, -225-mW	SOT23	MMBZ5227BL	ON Semi
9	D3, D5, D6, D7, D12, D14, D100, D101, D102	MMSD914T1	Diode, Switching, 100-V, 200-mA, 225-mW,	SOD-123	MMSD914T1	On Semi
2	D8, D9	MBR0530T	Diode, Schottky, 0.5A, 30V	SOD-123	MBR0530	On Semi
1	F2	2A Fast Acting, 500VAC/400VDC	Fuse Clip, 5x20 mm, 250VAC 10A	9.60 X 22.00 mm	0031-82xx	OGN
1	J1	ED555/2DS	Terminal Block, 2-pin, 6-A, 3.5mm	0.27 x 0.25 inch	ED555/2DS	OST
1	L1	10uH	Inductor, SMT Power, 20A, 2milliohm	1.100 x 1.100 inch	SER2915H-103KL	Coilcraft
1	L3	1mH	INDUCT PWR 1MH SMD	0.244 x 0.244 inch	PG0087.105NLT	Pulse
1	Q1	STD4NK80ZT4	MOSFET N-CH 800V 3A DPAK	DPAK	STD4NK80ZT4	STMicroelectronics
1	Q12	2N7002	MOSFET, N-ch, 60-V, 115-mA, 1.2-Ohms	SOT23	2N7002	Diodes
3	Q2, Q100, Q200	MMBT2907A	Transistor, PNP, -60V, -600mA, 225-W	SOT23	MMBT2907ALT1	On Semi
1	Q201	MMBT2222A	TRANSISTOR, NPN, HIGH-PERFORMANCE, 500mA	SOT-23	MMBT2222A	Fairchild
2	Q3, Q5	FCX493TA	Transistor, NPN High Voltage, VCE 100V, IC1A	SOT89	FCX493TA	Zetex
2	Q4, Q7	CSD18531Q5A	MOSFET N-CH 60V 100A	TDSON-8	CSD18531Q5A	Texas Instruments
2	Q6, Q11	STB7NK80ZT4	MOSFET N-CH 800V 5.2A D2PAK	SMD-220	STB7NK80ZT4	STMicroelectronics
1	Q8	13003	Transistor, NPN High Voltage Switch Mode, 400V, 1.5A	TO-92	13003	STD
6	R1, R5, R22, R28, R33, R101	10k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R10	84.5k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R11	15k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
2	R12, R24	1MEG	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
1	R14	2.61k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R15	10	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
2	R16, R21	0	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R17	12.4k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R18	3.15k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
4	R19, R23, R31, R32	499k	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
1	R2	3.32k	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
1	R20	51.1	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R25	0.15	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
1	R26	3.01k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R27	3.3	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R29	200k	Resistor, Metal Oxide, 1W, 5%	2512	STD	STD

Filename: PMP7410\_REVA\_bom.xls  
Date: 05/01/2012

### PMP7410\_REVA BOM

COUNT	RefDes	Value	Description	Size	Part Number	MFR
1	R3	2k	Resistor, Metal Film, 1/4 watt, 5%	1206	Std	Std
3	R30, R37, R200	0.02	Resistor, 1W, 5%	2512	STD	STD
1	R34	2.37k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R4	3.24k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R40	25.5k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
7	R6, R8, R13, R35, R36, R38, R39	1k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
2	R7, R100	100k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	R9	80.6k	Resistor, Chip, 1/16W, 1%	0603	STD	STD
1	T1	700 uH	XFMR, ±10%	32x32 mm	RLTI-1055	Renco
1	T2	G044052	Transformer, Flyback,	0.550 X 0.550 inch	G044052	GCI
2	TP1, TP2	5000	Test Point, Red, Thru Hole Color Keyed	0.100 x 0.100 inch	5000	Keystone
2	TP3, TP6	5001	Test Point, Black, Thru Hole Color Keyed	0.100 x 0.100 inch	5001	Keystone
2	TP4, TP5	5012	Test Point, White, Thru Hole	0.125 x 0.125 inch	5012	Keystone
1	TP7	5010	Test Point, Red, Thru Hole	0.125 x 0.125 inch	5010	Keystone
1	TP8	5011	Test Point, Black, Thru Hole	0.125 x 0.125 inch	5011	Keystone
1	U1	UCC2897APW	IC, Current-Mode Active Clamp PWM Controller	PW20	UCC2897APW	TI
2	U2, U7	TCMT1107	IC, Photocoupler	MF4	TCMT1107	Vishay
1	U3	TL103WAID	IC, Dual OpAmp With Internal Reference	SO8	TL103WAID	TI
1	U5	TL431DBZ	IC, Precision Adjustable Shunt Regulator	SOT23-3	TL431DBZ	TI
1	U6	SN74AHCT74PW	IC, Dual D Flip Flop, Pos Trig, with Clear and Preset	TSSOP14	SN74AHCT74PW	Texas Instruments

## IMPORTANT NOTICE

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, modifications, enhancements, improvements, and other changes to its products and services at any time and to discontinue any product or service without notice. Customers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All products are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its hardware products to the specifications applicable at the time of sale in accordance with TI's standard warranty. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by government requirements, testing of all parameters of each product is not necessarily performed.

TI assumes no liability for applications assistance or customer product design. Customers are responsible for their products and applications using TI components. To minimize the risks associated with customer products and applications, customers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any TI patent right, copyright, mask work right, or other TI intellectual property right relating to any combination, machine, or process in which TI products or services are used. Information published by TI regarding third-party products or services does not constitute a license from TI to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. Reproduction of this information with alteration is an unfair and deceptive business practice. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI products or services with statements different from or beyond the parameters stated by TI for that product or service voids all express and any implied warranties for the associated TI product or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

TI products are not authorized for use in safety-critical applications (such as life support) where a failure of the TI product would reasonably be expected to cause severe personal injury or death, unless officers of the parties have executed an agreement specifically governing such use. Buyers represent that they have all necessary expertise in the safety and regulatory ramifications of their applications, and acknowledge and agree that they are solely responsible for all legal, regulatory and safety-related requirements concerning their products and any use of TI products in such safety-critical applications, notwithstanding any applications-related information or support that may be provided by TI. Further, Buyers must fully indemnify TI and its representatives against any damages arising out of the use of TI products in such safety-critical applications.

TI products are neither designed nor intended for use in military/aerospace applications or environments unless the TI products are specifically designated by TI as military-grade or "enhanced plastic." Only products designated by TI as military-grade meet military specifications. Buyers acknowledge and agree that any such use of TI products which TI has not designated as military-grade is solely at the Buyer's risk, and that they are solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI products are neither designed nor intended for use in automotive applications or environments unless the specific TI products are designated by TI as compliant with ISO/TS 16949 requirements. Buyers acknowledge and agree that, if they use any non-designated products in automotive applications, TI will not be responsible for any failure to meet such requirements.

Following are URLs where you can obtain information on other Texas Instruments products and application solutions:

### Products

Audio	<a href="http://www.ti.com/audio">www.ti.com/audio</a>
Amplifiers	<a href="http://amplifier.ti.com">amplifier.ti.com</a>
Data Converters	<a href="http://dataconverter.ti.com">dataconverter.ti.com</a>
DLP® Products	<a href="http://www.dlp.com">www.dlp.com</a>
DSP	<a href="http://dsp.ti.com">dsp.ti.com</a>
Clocks and Timers	<a href="http://www.ti.com/clocks">www.ti.com/clocks</a>
Interface	<a href="http://interface.ti.com">interface.ti.com</a>
Logic	<a href="http://logic.ti.com">logic.ti.com</a>
Power Mgmt	<a href="http://power.ti.com">power.ti.com</a>
Microcontrollers	<a href="http://microcontroller.ti.com">microcontroller.ti.com</a>
RFID	<a href="http://www.ti-rfid.com">www.ti-rfid.com</a>
OMAP Mobile Processors	<a href="http://www.ti.com/omap">www.ti.com/omap</a>
Wireless Connectivity	<a href="http://www.ti.com/wirelessconnectivity">www.ti.com/wirelessconnectivity</a>

### Applications

Automotive and Transportation	<a href="http://www.ti.com/automotive">www.ti.com/automotive</a>
Communications and Telecom	<a href="http://www.ti.com/communications">www.ti.com/communications</a>
Computers and Peripherals	<a href="http://www.ti.com/computers">www.ti.com/computers</a>
Consumer Electronics	<a href="http://www.ti.com/consumer-apps">www.ti.com/consumer-apps</a>
Energy and Lighting	<a href="http://www.ti.com/energy">www.ti.com/energy</a>
Industrial	<a href="http://www.ti.com/industrial">www.ti.com/industrial</a>
Medical	<a href="http://www.ti.com/medical">www.ti.com/medical</a>
Security	<a href="http://www.ti.com/security">www.ti.com/security</a>
Space, Avionics and Defense	<a href="http://www.ti.com/space-avionics-defense">www.ti.com/space-avionics-defense</a>
Video and Imaging	<a href="http://www.ti.com/video">www.ti.com/video</a>

TI E2E Community Home Page

[e2e.ti.com](http://e2e.ti.com)

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265  
Copyright © 2012, Texas Instruments Incorporated