

RD Number: RD099

RD Title: TB67S101ANG Evaluation circuit

Item No.	Designator	Quantity	Value	Part Number	Manufacturer	Description	Package	Not Mount
1	VM	1		ST-1-3	MAC8	Check pin		
2	VCC	1		ST-1-3	MAC8	Check pin		
3	VREFB	1		ST-1-3	MAC8	Check pin		
4	VREFA	1		ST-1-3	MAC8	Check pin		
5	OSCM	1		ST-1-3	MAC8	Check pin		
6	INA1	1		ST-1-3	MAC8	Check pin		
7	INA2	1		ST-1-3	MAC8	Check pin		
8	PHASEA	1		ST-1-3	MAC8	Check pin		
9	PHASEB	1		ST-1-3	MAC8	Check pin		
10	INB1	1		ST-1-3	MAC8	Check pin		
11	INB2	1		ST-1-3	MAC8	Check pin		
12	STANDBY	1		ST-1-3	MAC8	Check pin		
13	RSA	1		ST-1-3	MAC8	Check pin		
14	RSB	1		ST-1-3	MAC8	Check pin		
15	OUT_A+	1		ST-1-3	MAC8	Check pin		
16	OUT_A-	1		ST-1-3	MAC8	Check pin		
17	OUT_B+	1		ST-1-3	MAC8	Check pin		
18	OUT_B-	1		ST-1-3	MAC8	Check pin		
19	GND1	1		ST-1-3	MAC8	Check pin		
20	GND2	1		ST-1-3	MAC8	Check pin		
21	GND3	1		ST-1-3	MAC8	Check pin		
22	GND4	1		ST-1-3	MAC8	Check pin		
23	GND5	1		ST-1-3	MAC8	Check pin		
24	GND6	1		ST-1-3	MAC8	Check pin		
25	RRSA	1	0.22Ω,1W	ERJ-1TRQFR22U	panasonic	Chip resistor		
26	RRSB	1	0.22Ω,1W	ERJ-1TRQFR22U	panasonic	Chip resistor		

27	RVRF1	1		PD-10	MAC8	Socket pin		
28		0				Leaded resistor		✓
29	RVRF2	1		PD-10	MAC8	Socket pin		
30		0				Leaded resistor		✓
31	ROSCM	0		PD-10	MAC8	Socket pin		✓
32		0	5.1kΩ			Leaded resistor		✓
33		1	5.1kΩ	RK73B2BTTD512J		resistor		
34	COSCM	0		PD-10	MAC8	Socket pin		✓
35		0	270pF,25V			Leaded capacitor		✓
36		1	270pF,25V	GRM31A7U3A271JW31D	murata	Chip capacitor		
37	CVRFA	1	0.1μF,25V	GRM319R72A104KA01D	murata	Chip capacitor		
38	CVRFB	0	0.1μF,25V	GRM319R72A104KA01D	murata	Chip capacitor		✓
39	CVCC	1	0.1μF,25V	GRM319R72A104KA01D	murata	Chip capacitor		
40	CVM3	0	0.1μF,25V	GRM319R72A104KA01D	murata	Chip capacitor		✓
41	CVM2	1	0.1μF,25V	GRM319R72A104KA01D	murata	Chip capacitor		
42	CVM1	1	100μF,50V	EKMG500ELL101MHB5D	NIPPON CHEMI-CON	Electrolytic capacitor		
43	CVDD	0	10μF,10V			Electrolytic capacitor		✓
44	JP1	1		2130S1*2GSE	Linkman	Jumper		
45		1		2180BBA	Linkman	Jumper Short		
46	JP2	1		2130S1*2GSE	Linkman	Jumper		
47		1		2180BBA	Linkman	Jumper Short		
48	SW1(VREFB)	0		2130S1*3GSE	Linkman	Jumper		✓
49		0		2180BBA	Linkman	Jumper Short		✓
50	SW2(INA1)	1		2130S1*3GSE	Linkman	Jumper		
51		1		2180BBA	Linkman	Jumper Short		
52	SW3(INA2)	1		2130S1*3GSE	Linkman	Jumper		
53		1		2180BBA	Linkman	Jumper Short		
54	SW4(PHASEA)	1		2130S1*3GSE	Linkman	Jumper		
55		1		2180BBA	Linkman	Jumper Short		
56	SW5(PHASEB)	1		2130S1*3GSE	Linkman	Jumper		
57		1		2180BBA	Linkman	Jumper Short		
58	SW6(INB1)	1		2130S1*3GSE	Linkman	Jumper		
59		1		2180BBA	Linkman	Jumper Short		
60	SW7(INB2)	1		2130S1*3GSE	Linkman	Jumper		

61		1		2180BBA	Linkman	Jumper Short		
62	SW8(STANDBY)	1		2130S1*3GSE	Linkman	Jumper		
63		1		2180BBA	Linkman	Jumper Short		
64	CNA	1		1760510000	Weidmuller	Connector		
65	CNB	1		1760510000	Weidmuller	Connector		
66	IC1	1		TB67S101ANG	TOSHIBA			
67								
68								
69								
70								
71								
72								
73								
74								
75								
76								
77								
78								
79								
80								
81								
82								
83								
84								
85								
86								
87								
88								
89								
90								
91								
92								
93								
94								

95								
96								
97								
98								
99								
100								

Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

1. Restrictions on usage

1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

2. Limitations

1. We reserve the right to make changes to this Reference Design without notice.
2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".

4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.