**TOSHIBA** 

RD Number: RD058

RD Title: TB67S101AFNG Evaluation circuit

Item	Designator	Our matitus	Walio	Part Number	Manufactuuru	Description	Daskana	Not Mount
No.	Designator	Quantity	Value		Manufacturer	Description	Package	Not Mount
1	IC1		1	TB67S101AFNG	TOSHIBA		1	
	C_VCC		1 0.1μF,25V	Chip capacitor			3.2mmX1.6mm	
	C_VM2		1 0.1μF,25V	Chip capacitor			3.2mmX1.6mm	
	C_VRFA		1 0.1μF,25V	Chip capacitor			3.2mmX1.6mm	
5	C_VRFB		1 0.1μF,25V	Chip capacitor			3.2mmX1.6mm	
6	C_VM1		1 100μF,50V	Electrolytic capacitor				
7	C_VDD		<sub>0</sub> 10μF,25V	Electrolytic capacitor				✓
8	C_OSCM		0	PD-10	Mac-Eight	Socket pin		✓
9	C_OSCM1		270pF,25V	Chip capacitor			3.2mmX1.6mm	✓
10	C_OSCM2		1 270pF,25V	Chip capacitor			3.2mmX1.6mm	
11	C_OAP		0 -	-				✓
12	C_OAM		0 -	-				✓
13	C_OBM		0 -	-				<b>√</b>
14	C_OBP		0 -	-				<b>√</b>
15	CON1		1	DF1BZ-4P-2.5DSA	HIROSE ELECTRIC	CONN HEADER VERT 4POS		
16	CON2		0	DF1BZ-4P-2.5DSA	HIROSE ELECTRIC	CONN HEADER VERT 4POS		<b>√</b>
17	CON3		0	DF1BZ-4P-2.5DSA	HIROSE ELECTRIC	CONN HEADER VERT 4POS		<b>√</b>
18	CON4		0	DF1BZ-4P-2.5DSA	HIROSE ELECTRIC	CONN HEADER VERT 4POS		<b>√</b>
19	OUT_A-		1	ST-1-3	Mac-Eight	Check terminal for logic		
20	OUT_A+		1	ST-1-3	Mac-Eight	Check terminal for logic		
21	OUT_B-		1	ST-1-3	Mac-Eight	Check terminal for logic		
22	OUT_B+		1	ST-1-3	Mac-Eight	Check terminal for logic		
23	RSA		0	LC-22-G	Mac-Eight	Check terminal for oscilloscope		<b>√</b>
	RSB		0	LC-22-G	Mac-Eight	Check terminal for oscilloscope		<b>√</b>
	VCC		1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
	VDD		1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		

27 VM	1	ST-1-3	Mac-Eight	Check terminal for logic		
28 45	0	LC-22-G	Mac-Eight	Check terminal for oscilloscope		<b>√</b>
29 44	0	LC-22-G	Mac-Eight	Check terminal for oscilloscope		✓
30 VREFA	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
31 VREFB	1	ST-1-3	Mac-Eight	Check terminal for logic		
32 OSCM	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
33 3	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
34 4	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
35 5	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
36 7	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
37 8	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
38 9	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
39 10	1	LC-22-G	Mac-Eight	Check terminal for oscilloscope		
40 GND1	1	ST-1-3	Mac-Eight	Check terminal for logic		
41 GND2	1	ST-1-3	Mac-Eight	Check terminal for logic		
42 GND3	1	ST-1-3	Mac-Eight	Check terminal for logic		
43 GND4	1	ST-1-3	Mac-Eight	Check terminal for logic		
44 GND5	1	ST-1-3	Mac-Eight	Check terminal for logic		
45 GND6	1	ST-1-3	Mac-Eight	Check terminal for logic		
46 GND7	1	ST-1-3	Mac-Eight	Check terminal for logic		
47 JP_VRF1	1	XJ8B-0211	OMRON	Single row plugs		
48	1	M7567-05	Harwin Inc.	Position Shunt Connector		
49 JP_VRF2	1	XJ8B-0211	OMRON	Single row plugs		
50	1	M7567-05	Harwin Inc.	Position Shunt Connector		
51 JP_VCC	1	XJ8B-0211	OMRON	Single row plugs		
52	1	M7567-05	Harwin Inc.	Position Shunt Connector		
53 R_ID	0 100kΩ,1/4W	Leaded resistor			2.54mm pitch	<b>√</b>
54 R_MOUT	0 100kΩ,1/4W	Leaded resistor			2.54mm pitch	<b>√</b>
55 R_LOUT	<sub>0</sub> 100kΩ,1/4W	Leaded resistor			2.54mm pitch	<b>√</b>
56 R_OSCM	0	PD-10	Mac-Eight	Socket pin		<b>√</b>
57 R_OSCM1	0 3.6kΩ	Leaded resistor			2.54mm pitch	<b>√</b>
58 R_OSCM2	1 3.6kΩ	Chip resistor			3.2mmX1.6mm	
59 R_VRF1	0 -	PD-10	Mac-Eight	Socket pin		<b>√</b>
60	0 -	-				<b>J</b>

61 R_VRF2	0 -	PD-10	Mac-Eight	Socket pin		✓
62	0 -	-				✓
63 R_RSA	<sub>1</sub> 0.22Ω,1W	Chip resistor			3.2mmX1.6mm	
64 R_RSB	<sub>1</sub> 0.22Ω,1W	Chip resistor			3.2mmX1.6mm	
65 R_SC1	0 0Ω	Chip resistor			3.2mmX1.6mm	✓
66 R_SC2	0 0Ω	Chip resistor			3.2mmX1.6mm	✓
67 SW8	0 -	-				✓
68 SW8	1	XJ8B-0311	OMRON	Single row plugs		
69	1	M7567-05	Harwin Inc.	Position Shunt Connector		
70 SW9	0 -	-				✓
71 SW9	1	XJ8B-0311	OMRON	Single row plugs		
72	1	M7567-05	Harwin Inc.	Position Shunt Connector		
73 SW10	0 -	-				✓
74 SW10	1	XJ8B-0311	OMRON	Single row plugs		
75	1	M7567-05	Harwin Inc.	Position Shunt Connector		
76 SW45	0 -	-				✓
77 SW45	0	XJ8B-0311	OMRON	Single row plugs		✓
78	0	M7567-05	Harwin Inc.	Position Shunt Connector		✓
79 SW48	0 -	-				✓
80 SW48	0	XJ8B-0311	OMRON	Single row plugs		✓
81	0	M7567-05	Harwin Inc.	Position Shunt Connector		✓
82 SW3	0 -	-				✓
83 SW3	1	XJ8B-0311	OMRON	Single row plugs		
84	1	M7567-05	Harwin Inc.	Position Shunt Connector		
85 SW4	0 -	-				✓
86 SW4	1	XJ8B-0311	OMRON	Single row plugs		
87	1	M7567-05	Harwin Inc.	Position Shunt Connector		
88 SW5	0 -	-				<b>√</b>
89 SW5	0	XJ8B-0311	OMRON	Single row plugs		<b>√</b>
90	0	M7567-05	Harwin Inc.	Position Shunt Connector		<b>√</b>
91 SW7	0 -	-				✓
92 SW7	0	XJ8B-0311	OMRON	Single row plugs		<b>√</b>
93	0	M7567-05	Harwin Inc.	Position Shunt Connector		<b>√</b>
94						

95				
96				
97				
98				
99				
100				

#### Terms of Use

This terms of use is made between Toshiba Electronic Devices and Storage Corporation ("We") and customers who use documents and data that are consulted to design electronics applications on which our semiconductor devices are mounted ("this Reference Design"). Customers shall comply with this terms of use. Please note that it is assumed that customers agree to any and all this terms of use if customers download this Reference Design. We may, at its sole and exclusive discretion, change, alter, modify, add, and/or remove any part of this terms of use at any time without any prior notice. We may terminate this terms of use at any time and for any reason. Upon termination of this terms of use, customers shall destroy this Reference Design. In the event of any breach thereof by customers, customers shall destroy this Reference Design, and furnish us a written confirmation to prove such destruction.

# 1. Restrictions on usage

- 1. This Reference Design is provided solely as reference data for designing electronics applications. Customers shall not use this Reference Design for any other purpose, including without limitation, verification of reliability.
- 2. This Reference Design is for customer's own use and not for sale, lease or other transfer.
- 3. Customers shall not use this Reference Design for evaluation in high or low temperature, high humidity, or high electromagnetic environments.
- 4. This Reference Design shall not be used for or incorporated into any products or systems whose manufacture, use, or sale is prohibited under any applicable laws or regulations.

### 2. Limitations

- 1. We reserve the right to make changes to this Reference Design without notice.
- 2. This Reference Design should be treated as a reference only. We are not responsible for any incorrect or incomplete data and information.
- 3. Semiconductor devices can malfunction or fail. When designing electronics applications by referring to this Reference Design, customers are responsible for complying with safety standards and for providing adequate designs and safeguards for their hardware, software and systems which minimize risk and avoid situations in which a malfunction or failure of semiconductor devices could cause loss of human life, bodily injury or damage to property, including data loss or corruption. Customers must also

- refer to and comply with the latest versions of all relevant our information, including without limitation, specifications, data sheets and application notes for semiconductor devices, as well as the precautions and conditions set forth in the "Semiconductor Reliability Handbook".
- 4. When designing electronics applications by referring to this Reference Design, customers must evaluate the whole system adequately. Customers are solely responsible for all aspects of their own product design or applications. WE ASSUME NO LIABILITY FOR CUSTOMERS' PRODUCT DESIGN OR APPLICATIONS.
- 5. No responsibility is assumed by us for any infringement of patents or any other intellectual property rights of third parties that may result from the use of this Reference Design. No license to any intellectual property right is granted by this terms of use, whether express or implied, by estoppel or otherwise.
- 6. THIS REFERENCE DESIGN IS PROVIDED "AS IS". WE (a) ASSUME NO LIABILITY WHATSOEVER, INCLUDING WITHOUT LIMITATION, INDIRECT, CONSEQUENTIAL, SPECIAL, OR INCIDENTAL DAMAGES OR LOSS, INCLUDING WITHOUT LIMITATION, LOSS OF PROFITS, LOSS OF OPPORTUNITIES, BUSINESS INTERRUPTION AND LOSS OF DATA, AND (b) DISCLAIM ANY AND ALL EXPRESS OR IMPLIED WARRANTIES AND CONDITIONS RELATED TO THIS REFERENCE DESIGN, INCLUDING WARRANTIES OR CONDITIONS OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE, ACCURACY OF INFORMATION, OR NONINFRINGEMENT.

## 3. Export Control

Customers shall not use or otherwise make available this Reference Design for any military purposes, including without limitation, for the design, development, use, stockpiling or manufacturing of nuclear, chemical, or biological weapons or missile technology products (mass destruction weapons). This Reference Design may be controlled under the applicable export laws and regulations including, without limitation, the Japanese Foreign Exchange and Foreign Trade Law and the U.S. Export Administration Regulations. Export and re-export of this Reference Design are strictly prohibited except in compliance with all applicable export laws and regulations.

#### 4. Governing Laws

This terms of use shall be governed and construed by laws of Japan.